L	Hits	Search Toyt	מת	Time stars
Number			DB	Time stamp
6	1988	711/103.ccls. or 711/147.ccls. or	USPAT;	2002/11/15
		711/154.ccls.	US-PGPUB;	10:24
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
7	714	710/60-61.ccls. or 710/106.ccls. or	USPAT;	2002/11/15
		710/11.ccls.	US-PGPUB;	10:31
			EPO; JPO;	4
			DERWENT;	
8	1210	709/233.ccls. or 709/248.ccls. or	IBM_TDB	2002/11/15
0	1219	709/213.ccls. or 709/216.ccls. or 709/216.ccls.	USPAT; US-PGPUB;	2002/11/15
		709/213.0013.01709/210.0015.	EPO; JPO;	10:36
			DERWENT;	1
			IBM TDB	1
9	204	709/400.ccls.	USPAT;	2002/11/15
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	10:37
			EPO; JPO;	10107
			DERWENT;	
			IBM TDB	
10	2890	713/400.ccls. or 713/500.ccls. or	USPAT;	2002/11/15
		713/600.ccls. or 713/1-2.ccls. or	US-PGPUB;	10:42
		713/100.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	219	· - · / - · - · · · - · · - · / - · - ·	USPAT;	2002/11/15
		711/175.ccls. or 717/178.ccls	US-PGPUB;	10:44
			EPO; JPO;	
			DERWENT;	
12	1102	701/221 701/251	IBM_TDB	2000/11/15
12	1103	701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.	USPAT;	2002/11/15
		701/24.CCIS. OF 701/26.CCIS.	US-PGPUB; EPO; JPO;	10:49
			DERWENT;	
			IBM TDB	
14	218011	(rewrit\$3 or re-writ\$3 or reprogram\$ or	USPAT;	2002/11/15
		re-program\$4 or program\$4 or writ\$3 or	US-PGPUB;	11:01
		stor\$3) same (nonvolatile or eeprom or	EPO; JPO;	
		prom or eprom or flash\$3 or rom)	DERWENT;	
			IBM TDB	
15	242091	(speed near5 (chang\$3 or set or setting))	USPAT;	2002/11/15
		or baud	US-PGPUB;	13:54
			EPO; JPO;	
			DERWENT;	
	1	l .	IBM_TDB	
16	12436	(processor or microprocessor or cpu) same	USPAT;	2002/11/15
		((speed near5 (chang\$3 or set or	US-PGPUB;	11:01
	İ	setting)) or baud)	EPO; JPO;	
			DERWENT;	
17	23058	/rourite3 on rote3 on	IBM_TDB	2002/11/15
1	23038	(rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or	USPAT;	2002/11/15
		stor\$3) same (nonvolatile or eeprom or	US-PGPUB; EPO; JPO;	14:18
		prom or eprom or flash\$3 or rom) same	DERWENT;	
		((control or transfer) near2 program)	IBM TDB	
18	966	((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	11:03
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM TDB	
		(nonvolatile or eeprom or prom or eprom	_	
		or flash\$3 or rom) same ((control or		
		transfer) near2 program))		

<u>19</u>	7941	(711/103.ccls. or 711/147.ccls. or	HCDAT.	2002/11/15
19	/ / / / / / / / / / / / / / / / / / / /	711/154.ccls.) or (710/60-61.ccls. or	USPAT; US-PGPUB;	11:04
		710/106.ccls. or 710/11.ccls.) or	EPO; JPO;	11.04
		(709/233.ccls. or 709/248.ccls. or	DERWENT;	i
		709/213.ccls. or 709/216.ccls.) or	IBM TDB	1
		709/400.ccls. or (713/400.ccls. or	1511_100	
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or		
		(717/169.ccls. or 717/173.ccls. or		
		711/175.ccls. or 717/178.ccls) or		1
	Ì	(701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.)		
20	40	(((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	11:04
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	12.0.
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM TDB	
		(nonvolatile or eeprom or prom or eprom	121122	
		or flash\$3 or rom) same ((control or		
		transfer) near2 program))) and	1	
		((711/103.ccls. or 711/147.ccls. or		[
	1	711/154.ccls.) or (710/60-61.ccls. or		[
		710/106.ccls. or 710/11.ccls.) or		
	[(709/233.ccls. or 709/248.ccls. or		
		709/213.ccls. or 709/216.ccls.) or		
	[709/400.ccls. or (713/400.ccls. or		
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or		
1		(717/169.ccls. or 717/173.ccls. or		
		711/175.ccls. or 717/178.ccls) or		
		(701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.))		
22	27	((((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	14:00
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	į l
		or program\$4 or writ\$3 or stor\$3) same	IBM_TDB	
		(nonvolatile or eeprom or prom or eprom	_	
	ļ	or flash\$3 or rom) same ((control or		
		transfer) near2 program))) and	1	
		((711/103.ccls. or 711/147.ccls. or		
		711/154.ccls.) or (710/60-61.ccls. or	Ì	
		710/106.ccls. or 710/11.ccls.) or		
		(709/233.ccls. or 709/248.ccls. or]
		709/213.ccls. or 709/216.ccls.) or	1]
		709/400.ccls. or (713/400.ccls. or		
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or		
		(717/169.ccls. or 717/173.ccls. or	1	
		711/175.ccls. or 717/178.ccls) or		
		(701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.))) and		
23	7279	(@ad<19960920 or @rlad<19960920)	IICDAE :	2002/11/15
23	1219	((speed near5 (chang\$3 or set or	USPAT;	2002/11/15
		setting)) or baud) same (instruct\$3 or	US-PGPUB;	14:21
		request\$3)	EPO; JPO;	
			DERWENT;	
24	220	(((processor or microprocessor or cpu)	IBM_TDB USPAT;	2002/11/15
	220	same ((speed near5 (chang\$3 or set or	US-PGPUB;	2002/11/15
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	13:54
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM TDB	
		(nonvolatile or eeprom or prom or eprom	TBH_IDB	j j
		or flash\$3 or rom) same ((control or		
		transfer) near2 program))) and (((speed		
		near5 (chang\$3 or set or setting)) or		
		baud) same (instruct\$3 or request\$3)).	ļ	
L		tame triberdecto of reduescholy	1	L

				13000100
25	6696	((speed near5 (chang\$3 or set or setting)) or baud) same (host or	USPAT; US-PGPUB;	2002/11/15 13:59
		external)	EPO; JPO; DERWENT;	
26	7.	(///	IBM_TDB	2002/11/15
26	75	((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or	USPAT; US-PGPUB;	2002/11/15
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	ļ
		or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom	IBM_TDB	
		or flash\$3 or rom) same ((control or		•
		transfer) near2 program))) and (((speed	ĺ	
		near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3)))		
		and (((speed near5 (chang\$3 or set or		
		setting)) or baud) same (host or		
27	367	external)) (send\$3 same((speed near5 (chang\$3 or set	USPAT;	2002/11/15
		or setting)) or baud) same (host or	US-PGPUB;	14:00
		external))	EPO; JPO;	
			DERWENT; IBM TDB	
28	56	(((((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or	US-PGPUB; EPO; JPO;	14:00
	3	re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM_TDB	
		(nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or		
		transfer) near2 program))) and (((speed		
		near5 (chang\$3 or set or setting)) or		
		baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or		
		setting)) or baud) same (host or		
		external)))		
29	55	(((((processor or microprocessor or cpu)	USPAT;	2002/11/15
		<pre>same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or</pre>	US-PGPUB;	14:01
		re-writ\$3 or reprogram\$ or re-program\$4	EPO; JPO; DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM_TDB	
		<pre>(nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or</pre>		
		transfer) near2 program))) and (((speed		
		near5 (chang\$3 or set or setting)) or		
		baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or		
		setting)) or baud) same (host or		
		external))) and (@ad<19960920 or @rlad<19960920)) not ((((processor or		
		microprocessor or cpu) same ((speed near5		
		(chang\$3 or set or setting)) or baud))		
		and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or		
		stor\$3) same (nonvolatile or eeprom or		
		<pre>prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)))</pre>		
		((control or transfer) near2 program))) and ((711/103.ccls. or 711/147.ccls. or		
		711/154.ccls.) or (710/60-61.ccls. or		
		710/106.ccls. or 710/11.ccls.) or (709/233.ccls. or 709/248.ccls. or		
		709/213.ccls. or 709/216.ccls.) or		
		709/400.ccls. or (713/400.ccls. or 713/500.ccls. or		
		713/300.ccis. or 713/600.ccis. or 713/1-2.ccls. or 713/100.ccls.) or		
		(717/169.ccls. or 717/173.ccls. or		
		711/175.ccls. or 717/178.ccls) or (701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.))) and		
		(@ad<19960920 or @rlad<19960920))		

		•		
30	12	((send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and ((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program))) and ((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and (@ad<19960920 or @rlad<19960920)) not ((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program))) and ((711/103.ccls. or 711/147.ccls. or 711/154.ccls.) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/248.ccls. or 709/213.ccls. or 713/600.ccls. or 713/100.ccls. or 713/100.ccls. or 713/100.ccls. or 713/100.ccls. or 713/100.ccls. or 713/100.ccls. or 711/178.ccls. or 711/178.ccls. or 711/175.ccls. or 711/178.ccls. or 711/178.ccls. or 701/24.ccls. or 701/26.ccls.))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:01
31	1698	(@ad<19960920 or @rlad<19960920))) ((rewrit\$3 or re-writ\$3) near5 (control\$3 or transfer\$3 or communication)) same (program or software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/15 14:20
32	79	<pre>send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3) same (host or external)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 14:23
33	4	<pre>(((rewrit\$3 or re-writ\$3) near5 (control\$3 or transfer\$3 or communication)) same (program or software)) and (send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3) same (host or external))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:23